

Correction to: Cost-Effectiveness Analysis of Non-Mydriatic Ultrawide-Field Fundus Photography versus Pharmacological Pupil Dilatation in Diabetic Retinopathy Screening Program

Rintra Wongvisavavit, MD¹, Danupon Nantajit, PhD², Tuangrat Phodha, PhD³

¹ Faculty of Medicine and Public Health, HRH Princess Chulabhorn College of Medical Science, Chulabhorn Royal Academy, Bangkok, Thailand; ² Faculty of Medicine and Public Health; Department of Research Innovation and International Relations, HRH Princess Chulabhorn College of Medical Science, Chulabhorn Royal Academy, Bangkok, Thailand; ³ Faculty of Pharmacy; Drug Information and Consumer Protection Center; Excellence Center in Pharmacy Practice and Management Research, Thammasat University, Pathum Thani, Thailand

J Med Assoc Thai 2026;109(7):638

<https://doi.org/10.35755/jmedassocthai.2026.7.04739>

The author has informed the editor to correct the data collection period in the article⁽¹⁾ as follow:

Incorrect data collection period in the article:

- 1) between April 1, 2018 and July 31, 2018 in “Materials and Methods”
- 2) between April and July 2018 in “Results”

Correct data collection period:

- 1) between May 17, 2018 and July 3, 2018
- 2) between May and July 2018

REFERENCE

1. Wongvisavavit R, Nantajit D, Phodha T. Cost-effectiveness analysis of non-mydriatic ultrawide-field fundus photography versus pharmacological pupil dilatation in diabetic retinopathy screening program. J Med Assoc Thai 2021;104:818-24.

Correspondence to:

Wongvisavavit R.
Chulabhorn Hospital, HRH Princess Chulabhorn College of Medical Science,
Chulabhorn Royal Academy, Lak Si, Bangkok 10210, Thailand.
Phone: +66-2-2576-6000, Fax: +66-2-576-6267
Email: rintra.won@pccms.ac.th

How to cite this article:

Wongvisavavit R, Nantajit D, Phodha T. Correction to: Cost-Effectiveness Analysis of Non-Mydriatic Ultrawide-Field Fundus Photography versus Pharmacological Pupil Dilatation in Diabetic Retinopathy Screening Program. J Med Assoc Thai 2026;109:638.